DOCUMENT RESUME

ED 366 293 IR 016 487

AUTHOR Woo, Chong W.
TITLE A Multi-Level Dynamic Instructional Planner for an Intelligent Physiology Tutoring System.
INSTITUTION Illinois Inst. of Tech., Chicago.
SPONS AGENCY Office of Naval Research, Arlington, VA. Cognitive and Neural Sciences Div.
PUB DATE Apr 92
CONTRACT N00014-89-J-1952; NR4422554
NOTE 37p.; Distribution list will not reproduce well due to small type.
PUB TYPE Reports - Descriptive (141)

EDRS PRICE MF01/PC02 Plus Postage.
DESCRIPTORS *Computer Assisted Instruction; Higher Education; *Instructional Development; Medical Students; *Physiology; Problem Solving; *Programmed Tutoring
IDENTIFIERS *Intelligent Tutoring Systems

ABSTRACT

This paper describes the design and development of an instructional planner for an intelligent tutoring system for cardiovascular physiology that assists medical students to learn the causal relationships between the parameters of the circulatory system, to understand how a negative feedback system works, and to solve problems involving disturbances to the system. The instructional planner is responsible for deciding what to do at each point during a tutoring session. It integrates opportunistic control with sophisticated instructional planning, combining lesson planning with discourse planning. The lesson planning is organized in three levels: goal generation, determination of planning strategies, and choice of tactics to refine the goal into subgoals. The mixed-initiative discourse planning is implemented using a two-level approach: pedagogical decision making at the upper level and tactical discourse state-based planning at the lower level in its discourse management network. It generates plans dynamically based on the student model, monitors their execution, repairs plans when necessary, and replans when the student asks a question or makes a comment. (Contains 49 references.) (Author)

****
* Reproductions supplied by EDRS are the best that can be made *
* from the original document. *
****

IR

A MULTI-LEVEL DYNAMIC INSTRUCTIONAL PLANNER FOR AN INTELLIGENT PHYSIOLOGY TUTORING SYSTEM

ED 366 293

CHONG W. WOO

U.S. DEPARTMENT OF EDUCATION
Office of Educational Research and Improvement
EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)
☐ This document has been reproduced as received from the person or organization originating it.
☐ Minor changes have been made to improve reproduction quality.
• Points of view or opinions stated in this document do not necessarily represent official OERI position or policy.

GENERATION OF COMPLEX TUTORIAL DIALOGUES
MARTHA W. EVENS, PRINCIPAL INVESTIGATOR
COMPUTER SCIENCE DEPARTMENT
ILLINOIS INSTITUTE OF TECHNOLOGY
CHICAGO, ILLINOIS 60616
312-567-5153, csevens@minna.iit.edu

This work was supported by the Cognitive Science Program, Office of Naval Research under Grant No. N00014-89-J-1952, Grant Authority Identification Number NR4422554, to Illinois Institute of Technology. The content does not reflect the position or policy of the government and no official endorsement should be inferred.

Reproduction in whole or in part is permitted
for any purpose of the United States Government.

Approved for Public Release; Distribution Unlimited

11201464187

BEST COPY AVAILABLE

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	3. REPORT TYPE AND DATES COVERED
	1 April, 1992	Interim

4. TITLE AND SUBTITLE
A Multi-Level Dynamic Instructional Planner for an Intelligent Physiology Tutoring System

5. FUNDING NUMBERS
G
N00014-89-J-1952
R&T 4422554

6. AUTHOR(S)
Chong W. Woo

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)
Dr. Martha Evens
Computer Science Department
Illinois Institute of Technology
10 West 31st Street
Chicago, IL 60616

8. PERFORMING ORGANIZATION REPORT NUMBER

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)
Dr. Susan Chipman
Cognitive Science Program
Office of Naval Research
800 North Quincy Street
Arlington, VA 22217-5000

10. SPONSORING/MONITORING AGENCY REPORT NUMBER

11. SUPPLEMENTARY NOTES

12a. DISTRIBUTION/AVAILABILITY STATEMENT
Approved for public release;
distribution unlimited

12b. DISTRIBUTION CODE

13. ABSTRACT (Maximum 200 words)

This paper describes the design and development of an instructional planner for an intelligent tutoring system for cardiovascular physiology that assists medical students to learn the causal relationships between the parameters of the circulatory system, to understand how a negative feedback system works, and to solve problems involving disturbances to the system. The instructional planner is responsible for deciding what to do at each point during a tutoring session. It integrates opportunistic control with sophisticated instructional planning, combining lesson planning with discourse planning. The lesson planning is organized in three levels: goal generation, determination of planning strategies, and choice of tactics to refine the goal into subgoals. The mixed-initiative discourse planning is implemented using a two level approach: pedagogical decision making at the upper level and tactical discourse state-based planning at the lower level in its discourse management network. It generates plans dynamically based on the student model, monitors their execution, repairs plans when necessary, and replans when the student asks a question or makes a comment.

14. SUBJECT TERMS	15. NUMBER OF PAGES
Planning, Discourse planning, Tutorial dialogues Text generation	16. PRICE CODE

17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT
Unclassified	Unclassified	Unclassified	UL

NSN 7540-01-280-5500

Standard Form 298 (Rev. 2-89)
Prescribed by ANSI Std. Z39-18
298-102

A MULTI LEVEL DYNAMIC INSTRUCTIONAL PLANNER FOR AN INTELLIGENT PHYSIOLOGY TUTORING SYSTEM

Chong Woo
Department of Computer Science
Illinois Institute of Technology
Chicago, Illinois 60616
Phone: (312) 567-5153
E-Mail: csevens@minna.iit.edu

1. INTRODUCTION

An instructional planner in an intelligent tutoring system (ITS) is responsible for deciding what to do next at each step during the tutoring session. The planner has to decide what subject matter to focus on, how to present it to the student and when to interrupt the student's problem-solving activity [Dede, 1986; Kearsley, 1987]. This pedagogical decision making is very complex and there is no one correct choice due to the dynamic changes in the student's learning state. Hence, the decision must be based on many different knowledge sources, such as knowledge about the domain, knowledge about the student, and pedagogical knowledge about tutoring.

Recent approaches to designing tutoring systems view the decision making process as a planning problem [Peachey and McCalla, 1986; Macmillan et al., 1988; Brecht et al., 1989; Murray, 1990]. Adaptive planning techniques in the tutoring domain enable the generation of customized plans for individualized instruction. Among the recent research systems, MENO-TUTOR [Woolf, 1984] represents an important attempt at planning the discourse strategies observed in human tutors, but it lacks global lesson goals [Murray, 1988]. IDE-INTERPRETER [Russell, 1988] is another attempt at planning the lesson goals at various levels of abstraction, but this system lacks power at the local diagnostic level. Thus, there is a need to build an instructional planner that combines globally coherent lesson goals with flexible local discourse plans.

In this research, I am building a planner that integrates opportunistic control with a sophisticated instructional planning methods; combining capabilities of lesson planning with discourse planning. This planner is a dynamic instructional planner that supports customized, globally coherent instruction, carries out a mixed initiative strategy. It monitors current plans in progress, repairs those plans, or replans as needed. This has required the invention of multi-level instructional planning.

The goal of this research is to develop an ITS, CIRCSIM-TUTOR, that assists first year medical students to learn the behavior of the cardiovascular reflex system that stabilizes blood pressure. Since the students have already attended lectures about the domain, CIRCSIM-TUTOR assumes prerequisite knowledge and assists them to correct their misconceptions in a problem solving environment. This system is being developed as a joint project of Rush Medical College and Illinois Institute of Technology.

1.1 Evolution of Computer-Based Instruction at Rush

Computer Aided Instruction (CAI) in the cardiovascular domain at Rush Medical College has evolved from HEARTSIM [Rovick and Brenner, 1983], to CIRCSIM [Rovick and Michael, 1986], to the CIRCSIM-TUTOR prototype [Kim et al., 1989] and finally to CIRCSIM-TUTOR over the last ten years.

HEARTSIM was a Plato program and CIRCSIM is a stand-alone Basic program. The CIRCSIM-TUTOR prototype is a Prolog prototype of our ITS designed and implemented by Kim [1989]. Its design is based on major ITS architecture. However, the prototype system still does not possess all of the capabilities needed for an ITS. It lacks natural language capabilities, it does not analyze the student's misconceptions, and the instructional planner is very primitive;

a discourse planner could not be implemented since complete discourse strategies for all the primitive actions had not been developed, planning knowledge is not explicitly represented as a separate module, and there was no replanning capability so that the system could not respond to student initiatives. CIRCSIM-TUTOR uses the same architecture as Kim's prototype but includes complete student modelling, instructional planning, and natural language understanding and generation facilities.

1.2 Organization

Section 2 describes the environment in which the system runs. The subject area of CIRCSIM-TUTOR is cardiovascular physiology and the system assists students to understand the behavior of the complex negative feedback system. Section 3 begins with a brief introduction to ITS: the general structure and the issues involved in each module of the ITS. Then each component of CIRCSIM-TUTOR will be briefly introduced. Section 4 presents design issues for building the planner: levels of planning and tutoring strategies. A short tutoring excerpt is displayed, from a transcript of human tutor and student interaction. And then a short scenario shows how the system works. It concludes with a discussion of the overall organization of the planner: lesson planning, discourse planning, and plan monitoring. Section 5 explains the generation of the content of lesson plans in detail. It first discusses the main features of the planner: goal generation and plan generation. And then it describes its own lesson planning rules: goal generation rules and plan expansion rules. Section 6 discusses the discourse planner. The structure of the planner is a two level discourse management network, which consists of a set of states that represent tutorial actions. The control mechanism is separated into default and meta-rule transitions. The paper concludes in section 7 with a discussion of the significance of the planner, describes some of its limitations, and gives suggestions for future research.

2. THE BACKGROUND

Qualitative reasoning or simulation [deKleer and Brown, 1984; Forbus, 1984; Kuipers, 1984] is an approach to problem solving that reasons about the causal relationships that structure our world. Anderson [1988] argues that qualitative reasoning is the most demanding approach and essential to produce a high performance tutoring system. He states that qualitative modelling can maximize the pedagogical effectiveness since it is human-like reasoning, although the implementation effort is much larger than that required for the traditional black box models or glass box models. CIRCSIM-TUTOR is an approach to qualitative simulation in cardiovascular physiology [Michael et al., 1990].

2.1 Subject Area

The cardiovascular system consists of many mutually interacting components, and the student must understand the cause and effect relationships for each individual component of the system. Figure 1 shows a causal model of CIRCSIM-TUTOR, called the "Concept Map," designed by Michael and Rovick [Kim et al., 1989]. Each box in the map represents a physiological variable, such as SV for Stroke Volume and RAP for Right Atrial Pressure. An arrow with a "+" or "-" sign between two boxes tells the direction of the causal effects and whether the causal relationship between the connected variables is direct or inverse. For example, a qualitative change in one component of the system, a decrease in RAP, directly causes a decrease in SV. This qualitative change propagates to other adjacent components of the system according to the propagation rule.

There are three stages in the human body's response to a perturbation in the system that controls blood pressure. The first stage is the Direct Response (DR) in which a perturbation in the system will physically affect

many other parameters. The second stage is the Reflex Response (RR), in which other parameters are affected by the negative feedback mechanism to stabilize the blood pressure. The final stage is the Steady State (SS), which is achieved as a balance between the changes directly caused by the initial perturbation and the further changes induced by negative feedback.



Figure 1. The Concept Map

2.2 Organization

CIRCSIM-TUTOR begins with a brief introductory message and then asks the student to choose any procedure from the curriculum list. The curriculum (Figure 2) is stored as a set of four different experimental procedures designed by our expert human tutors (JAM and AAR).

List of Available Procedures

1. Hemorrhage: Remove 1.0 Liter of Blood.
2. Decrease Cardiac Contractility (CC) to 50% of Normal.
3. Increase Venous Resistance (RV) to 200% of Normal.
4. Increase Intrathoracic Pressure (PIT) to 2 mmHg.
5. Quit.

Figure 2. List of Available Procedures

Each procedure begins by describing a perturbation of the cardiovascular system, and asking the student to predict how the system variables will respond to the perturbation by making qualitative entries in the Prediction Table (see Figure 3); using a "+" sign to represent an increase, a "-" for a decrease, and "0" to indicate no change. The first column of the table is used to predict the Direct Response (DR) of each variable to the perturbation, the second is used for the Reflex Responses (RR), and the third for the Steady State (SS).

Parameters	DR	RR	SS
Cardiac Contractility	0		
Right Atrial Pressure	-		
Stroke Volume	-		
Heart Rate	0		
Cardiac Output	-		
Total Peripheral Resistance	0		
Mean Arterial Pressure	-		

Figure 3. The Prediction Table

When the student finishes predicting all four parameters in one column of the table, for example the DR stage, the student's answers are compared with the correct answers. If the student has made any errors, a natural language tutoring session will begin, based on the result of this evaluation in order to correct the student's misconceptions.

2.3 System Constraints

There are some system variables that need to be described; the procedure variable is the variable changed by the perturbation; the primary variable is the first variable in the Prediction Table affected by the procedure variable, (in some cases the procedure variable is the primary variable); the neural variables are the variables directly under nervous system control. The rest of the variables we call physical variables. The students are not allowed to predict the variables in any arbitrary order, since there are some constraints that they must follow. For example, the constraints for DR are fairly complex:

Constraint DR1: The student must predict the primary variable first, and the value must be correct.

Constraint DR2: The student must predict the physical variables in the correct causal sequence.

Constraint DR3: The student may predict the neural variables at any time and in any order.

The student receives a canned error message, when either of the first two constraints is violated, and is told what to do next. The purpose of forcing the student into the correct sequence is to make sure the causal behavior of the system is followed correctly. Neural variables can be entered at any time since neural variables do not change during the DR period except when one is a primary variable. The constraints for the RR stage are designed to teach the students about the effect of the baroreceptor reflex:

Constraint RR1:	The student must predict either the neural variables or MAP first.
Constraint RR2:	The student must finish predicting all the neural variables before predicting other physical variables.
Constraint RR3:	The student must predict the physical variables in the correct causal sequence.

Finally, when predicting the SS stage, the student is allowed to enter predictions in any arbitrary order since there are no specific constraints for this stage.

2.4 Multiple Simultaneous Inputs

In a mixed-initiative type of ITS, tutor begins by posing a question and the student either responds to the question or takes the initiative. Sometimes this style of tutoring leaves students confused and frustrated if they do not have enough background in the domain knowledge. Rather than blindly walking through the domain, it would be much more effective if the tutor provides a simulated problem situation in the domain for the student before the actual interactive tutoring begins.

CIRCSIM-TUTOR begins with a Prediction Table, in which the student is asked to make qualitative predictions about the behavior of the system given a particular perturbation. After the student finishes all the predictions, the tutor analyzes the student's answers and shows what errors were made if any. Based on a careful analysis of these errors, the tutor can generate a global lesson plan, and interactive tutoring begins by using a mixed-initiative Socratic strategy in natural language. Thus, the Prediction Table provides a qualitative simulation environment for the student by requiring multiple simultaneous inputs (multiple responses to different aspects of a problem provided by the student in a single uninterrupted turn) before interactive tutoring begins.

There are several benefits of adapting this kind of design strategy. First, the tutor receives enough initial knowledge about the student so that it can narrow the focus for tutoring. It can also detect some common student misconceptions [Michael et al., 1991] or *bugs*. Second, the students can see a simple mental model of the entire domain at the start, which prevents the students from getting too far off the track [Reiser, 1989]. Elsom-Cook [1988] argues that using multiple pedagogic strategies can provide a very powerful learning environment. CIRCSIM-TUTOR begins with a coach-like environment during the Prediction Table entry, and then moves to Socratic tutoring for the interactive tutoring session. This flexibility in adapting to the student's needs at different stages provides another benefit.

3. ORGANIZATION OF CIRCSIM-TUTOR

Most of ICAI systems have been separated into four major components [Carr and Goldstein, 1977; Sleeman and Brown, 1982; Barr and Feigenbaum, 1982]: the domain knowledge base, a collection of instructional strategies and an algorithm for applying them, a student modeler, and an interface. Since a major goal of CIRCSIM-TUTOR is to carry on a natural language dialogue, we have divided the interface module into three pieces, an input understander, a

text generator, and a screen manager. As a result, CIRCSIM-TUTOR has seven submodules: a domain knowledge base, a problem solver, a student modeler, an instructional planner, an input understander, a text generator, and a screen manager. Figure 5 shows the overall architecture of CIRCSIM-TUTOR.

3.1 Domain Expertise

Domain Knowledge Base. Anderson [1988] describes three different categories of knowledge encoding: the black box model, the glass box model, and the cognitive model. The cognitive model is the approach that CIRCSIM-TUTOR is attempting to implement. The domain knowledge is decomposed into meaningful, human-like components and a causal reasoning mechanism is applied to it, so that the system can teach the student to solve problems in a human-like manner. For a detailed discussion of this problem see Wielinga and Breuker [1990].

Domain knowledge can be divided into three different types of knowledge to be tutored: declarative knowledge, procedural knowledge, and knowledge of tutoring heuristics. Declarative knowledge includes domain concepts and causal relationships between them. Procedural knowledge involves the rules for using the concepts in solving problems. For example, in CIRCSIM-TUTOR, a rule that figures out the *actual determinant of SV* is *if the primary variable is RAP, then RAP is the actual determinant of SV.* Knowledge of tutoring heuristics must be extracted from the experience of domain experts; it involves ways of teaching the student about the particularly difficult points in the domain.

We have built a small domain knowledge base encoded as a network of frames (see Figure 4). Each frame represents domain concepts and how they relate to each other causally. There are three conceptual levels in the domain knowledge; level 0 consists of the definitions and static facts, level 1 consists of the cause-effect relationships between the parameters of the cardiovascular system, and level 2 contains a deeper knowledge of underlying physiology. The level 2 knowledge is used when the tutor needs to give a hint to the student. Currently, the level 2 knowledge is under refinement and development. Hence, in the present program the domain knowledge base is constructed as a set of components that is used for both problem solving and causal explanation. This is the most important and the basic knowledge that constitutes the domain expertise.

```
(frame SV

   (frame-type           variable
    var-type             physically-affected
    frame-name           SV
    class                instance
    instance-of          variable
    name                 Stroke Volume
    definition           volume of blood ejected each
                         heart beat
    part-of              heart
    anatomy              ventricle
    causal-relation-in   causal-RAP-SV causal-CC-SV
    causal-relation-out  causal-SV-CO))
```

Figure 4. A Frame from the Domain Knowledge Base

Problem Solver. The intelligence of an ITS comes from its ability to solve the problems [Clancey, 1987]. The problem solver solves the problems

presented to the student or asked by the student. If the problem solver solves the problems but can not explain how it solves them, it may just as well retrieve stored answers. The ability to solve the problem, using the expert's problem solving behavior, can be used to identify the student's misconceptions, to give an explanation, and to provide a basis for tutoring strategies.

Problem solving in CIRCSIM-TUTOR is carried out by two problem solvers: the main problem solver and the subproblem solver. The main problem solver solves the problem, generates correct answers, and produces the same problem solving path as an expert in the domain. This solution path can be used to monitor the student's problem solving behavior while the student is making entries in the predictions table. The subproblem solver solves current problems generated by the planner, such as *determinant of X, relationship between X and Y*, and also problems coming from the student questions. The other modules of the system may consult these problem solvers to get any information they need.

3.2 Student Modeler

The student modeler is responsible for representing the student's understanding of the subject by building a student model [VanLehn, 1988]. The student model is a data structure that represents the student's current state of knowledge; what the student knows, what the student does not know, and what misconceptions he or she may have. Based on this information, the tutor can give individualized instruction to the student. There are two major approaches for student modeling. One approach, the overlay model [Carr and Goldstein, 1977], is designed to represent the student's knowledge state as a subset of an expert's knowledge state. Another approach, the buggy model [Brown and Burton 1978], represents the student's misconceptions not as subsets of the expert's knowledge, but as variants of the expert's knowledge. In CIRCSIM-TUTOR, the student modeler integrates overlay and buggy strategies into one [Shim et al., 1991].

The student modeler begins analyzing the student's entries in the Prediction Table. Based on this analysis, the planner generates a lesson plan. During the tutoring session, the planner sends the student's answer to the modeler and the modeler analyzes it and returns the result. Based on this information, the planner can decide the next instruction. Currently only the overlay information is used for choosing the next tutoring strategy.

3.3 Input Understander

The input understander is responsible for understanding the student's natural language input. It handles not only well-formed but also ill-formed student inputs [Lee et al., 1990; Lee, 1990]. The student input may be either an answer to the tutor's question, or a question from the student. If the student's answer is *The actual determinant of SV is RAP*, then the planner will pass the sentence to the understander along with the current lesson topic in logical form, *(actual-determinant SV)*. Then the input understander parses the sentence, checks its coherence with the current topic, and returns the logic form, *(answer (actual-determinant SV (RAP))*. Then the planner extracts the student answer, *RAP*, and passes it to the student modeler to diagnose the student answer.

The input understander must also understand student initiatives; whether the student is asking for an explanation, or referring to the previous remarks of the tutor, or wants to stop the session. For example, if the student initiative is *I don't understand about SV*, then the input understander returns the logical form *(question (explain SV))*. This process needs to be studied in detail and we are currently investigating the student initiatives by analyzing transcripts.

3.4 Text Generator

The text generator is responsible for turning the tutor's output into a natural language sentence. It receives necessary information as a logical form from the planner and generates a natural language sentence or sequence of sentences [Zhang and Evens, 1990]. This information includes the current topic and text styles: question, hint, answer, etc. For example, the text generator is given a logic form from the planner, *(question (affected-by SV ?))*, then it produces the English sentence, "What are the determinants of SV?" The text generator can handle this kind of simple question, explanation, or acknowledgement. The current version of the text generator only receives the necessary information from the planner, not from all the other modules, so that its behavior is somewhat passive.

3.5 Screen Manager

The screen manager takes care of the interaction between the student and the system. First, the screen manager displays system messages through the introductory windows. Then it displays the list of procedures that the student can select. When the student selects the problem, it displays the prediction table with instructions about how to use the mouse and how to make entries into the table. Then it receives qualitative answers, (+, -, 0), from the prediction table one by one from the clicking of the mouse and passes them to the planner. It also handles two other windows, the student window and the tutor window. From the student window, it receives the student's natural language input in English sentences. In the tutor window, it displays natural language sentences created and passed to it from the text generator.

3.6 Instructional Planner

The instructional planner is responsible for determining what to do next at each point during a tutoring session. It interacts with the input understander, the text generator, the student modeler, and the screen manager, in order to carry out tutorial activities. Although the design of the planner may vary depending on the purpose of the ITS, several researchers have recently proposed combining opportunistic control with a plan-based approach [Derry et al., 1988; Murray, 1990; Macmillan and Sleeman. 1987]. For instance, Murray [1990] suggests that the way to provide opportunistic control with global lesson plans is to implement a dynamic instructional planner. For CIRCSIM-TUTOR, the planner needs to generate the global lesson plan and take care of the discourse control as well [Woo et al., 1991a, 1991b].

4. PLANNING INSTRUCTION

The instructional planner is the central component of the ITS; it is responsible for selecting or generating instructional goals, deciding how to teach the selected goals, monitoring and critiquing the student's behavior, and determining what to do next at each point during a tutoring session. That is, the planner makes two different types of important decisions during the tutoring session, decisions about the content of the lesson and decisions about its presentation strategy. Although the early ITSs largely focused on the delivery strategy of the planner, some recent planning research shows the integration of both aspects in building the planner [Macmillan et al., 1988; Derry et al., 1988; Murray, 1990].

The planning component of CIRCSIM-TUTOR must carry out both functions, since it needs to provide a global lesson plan, and it needs to carry on a natural language exchange with the student. This section discusses general design issues of the planner with the goal of providing the most effective instruction possible to the student, a sample dialogue extracted from the transcript of an actual human tutor-student interaction and a scenario implementing that dialogue, and a description of the overall organization of the planner.



Figure 5. The Structure of CIRCSIM-TUTOR

4.1 Design Issues

Capabilities of the Planner. Most machine planning systems, like STRIPS [Fikes and Nilsson, 1971], HACKER [Sussman, 1975], and NOAH [Sacerdoti, 1977], deal with the observable physical world, whereas instructional planning systems deal with unpredictable dynamic changes in the student's knowledge. The student's current learning status can never be observed directly. It can only be guessed; the results of this guesswork are stored in the form of the student model [VanLehn, 1988]. Thus, the planner must possess unique capabilities for handling unpredictable situations as an expert human tutor does.

The planner must plan at different levels of the hierarchy; a *hierarchical planning* technique can reduce the complexity of the planning process. The plan is first developed at a higher level and the details are developed later; this technique prevents development of unnecessary plans in

advance. The planner must plan at a *global* level; when the planner generates the next instruction, it must consider the past plan and the student's responses to provide continuity of instruction. The planner must *replan* when the current plan fails or a request is made by the student. The planner must be able to *monitor* the plan to identify the need for replanning. The planner of CIRCSIM-TUTOR provides all these capabilities.

Levels of Planning. Research by Leinhardt and Greeno [1986, cited in Derry et al., 1988] has shown that experienced teachers employ levels of planning in accomplishing their goals; planning instructional goals occurs at the most global level, planning actions and decision making occur at a less global level. Inspired by this research, Derry et al. [1988] designed their TAPS system with three levels of instructional activity: curriculum planning (the agenda), lesson planning (instructional actions), and on-line tutorial intervention. Murray [1988] also distinguished three levels of instructional planning; curriculum planning (planning a sequence of lessons), lesson planning (determining the subject matter in a single lesson), and discourse planning (planning communicative actions between the tutor and the student). He argues that at least two levels of planning, lesson planning and discourse planning, must exist in an ITS to deliver more effective and flexible instruction.

CIRCSIM-TUTOR is capable of both lesson planning and discourse planning. It can be set up so that the student can select a problem from a list of four experimental procedures or it can do complex curriculum planning. The number and types of procedures will be extended further in future versions of the system.

4.2 Scenario

A Sample Tutoring Session. We have recorded a number of tutoring sessions with our experts, Joel Michael and Allen Rovick, who are Professors of Physiology at Rush Medical College, and some of their first year medical students. After careful studies of the recorded transcripts, we extracted some possible tutorial strategies and tactics that provided us with the framework for building the instructional planner and the overall system. It is assumed that students have already learned much of the domain knowledge, hence the system will mainly assist the students to correct their misconceptions and to solve problems. Our current system can handle dialogues like the following.

Example 1:

Tutor>	What are the determinants of SV?
Student>	SV is determined by RAP and CO.
Tutor>	RAP is correct, but CO is not a determinant of SV. Remember. SV is the amount of blood pumped per beat. What is the other determinant of SV?

One important point about the above tutor-student interaction is the content of the questions posed by the tutor. For example, on the first line of the excerpt, the tutor is asking the student about the *determinants of stroke volume*. Asking a question about *determinants* is the first part of the plan that the tutor is using to teach the student about the *causal relationships* between two variables, RAP and SV. Thus the content of the question has to be generated by the lesson planner before the tutoring begins. Another important aspect is how to present the selected topic. From the above short excerpt, we can see four different kinds of delivery modes: a direct question (line 1), positive and negative acknowledgements (line 3), hints (line 4), and follow up questions after hints (line 5). Thus, the planner (discourse planner) needs to plan how to present the selected content to the student effectively.

Example 2:

Tutor>	By what mechanism is TPR controlled?
Student>	Nervous System.
Tutor>	Correct, TPR is controlled by the nervous system.

Then what is the correct prediction of TPR?
Student> No change.

Example 2 is an another tutoring situation that focusses on one of the neurally controlled variables, TPR. The tutor first asks the student about its *control mechanism* in line 1. This control mechanism is the first strategy to teach the student about the neurally controlled variables. Since the student answered correctly, the tutor gives a positive acknowledgement and then uses its second strategy, asking for a *prediction*, in line 4. We have extracted this kind of tutoring strategy from the transcripts and designed explicit lesson planning rules.

From the above examples of tutor-student interaction, we can distinguish between the subject matter and its presentation formats. Ohlsson [1986, p. 217] argues that an effective ITS should be able to generate different presentations of each piece of subject matter in order to provide adaptive instruction to the student. The content of the questions posed by the tutor and its delivery modes lead to the development of two different kinds of instructional planning, lesson planning and discourse planning, because the subject to be taught has to be generated adaptively, and also its presentation form can vary according to the situation.

Implementation of the Scenario. Assume that the current lesson goal is to tutor the causal relationships between two parameters, RAP and SV. This goal gets refined into a set of hierarchical subgoals by using strategic and tactical rules. The subgoals generated at the tactical level, such as *determinants, actual determinant, relation, and value*, are kept in a stack, which is used by the discourse planner to pick the next topic.

The following scenario describes what each component of the system does, what kind of information it needs, and what is the result after each step. The steps are numbered to show the execution sequence. This tutorial interaction begins after the lesson planning is done. So that the discourse planner begins with the first topic in the stack, the determinants, and when that topic is completed, continues with the next topic, the actual determinant, and so on.

1. Planner: Picks the current topic from the stack, selects the discourse tactic, and passes it to the text generator as an internal logical form.

   current topic: (determinant SV),
   discourse tactic: question.
   call Text Generator: (question (determinant SV))

2. Text Generator: Generates a sentence, "What are the determinants of SV?"

3. Screen Manager: Displays the sentence in the window.

4. STUDENT: "SV is determined by RAP and CO."

5. Planner: Passes the student's input with the current lesson topic to the input understander.

   (question (determinant SV)
   (SV is determined by RAP and CO))

6. Input Understander: Parses the student's answer, checks its coherence with the dialog history, and returns the answer to the planner in logic form.

   call planner: (answer ((determinant SV)(RAP CO)))

7. Planner: Passes the current topic and student answer to the the student modeler in logic form.

current topic:	(determinant SV),
student answer:	(RAP, CO),
call Student Modeler:	((determinant SV) (RAP, CO))

8. Student Modeler: Calls the problem solver, gets the correct answer: (RAP, CC), compares the correct answer with the student answer, and updates the student model.

In step 1, the discourse planner picks the topic, *determinant*, from the subgoal stack, selects the discourse tactic, *question*, binds these two together with the current variable, SV, into a logical form, *(question (determinant SV))*, which is passed to the text generator to generate a natural language sentence. After receiving the logical form from the planner, the text generator generates a sentence like the one in step 2. In step 3, the screen manager displays the sentence on the student window, and the student responds with the answer in step 4. So the current dialogue is:

Tutor>	What are the determinants of SV?
Student>	RAP and CO.

In step 5, the planner passes the student's input along with the current topic. The input understander has to recognize the student's answer; parse the answer, check its coherence with the dialogue history, and return the answer to the planner in its logical form. Then the planner sends the current topic with the student's answer to the student modeler in step 7. Finally, the student modeler analyzes the student's answer, and records the result in the student model. The next step will start with the planner checking the student model, and then deciding what to do. Since one of the student's answers is wrong, the planner consults its tutoring rules and decides to give some acknowledgement first:

Tutor> RAP is correct, but CO is not a determinant of SV.

At this point the tutor has two choices, either give a hint or just give an answer and continue with the next topic. Since this is the first trial, the tutor decides to "give a hint" and then ask a question to complete the previous answer. So a possible response would be:

Tutor> Remember. SV is the amount of blood pumped per beat.
What is the other determinant of SV?

A different tutoring rule will be applied if the student again makes an error after receiving a hint; the student will be given a direct answer for the second question. Our current tutoring rules vary according to the topic and the student's responses (i.e., the tutor gives different responses in different situations). The question may be about neural variables or causal relationships; in each case the tutoring rules are different. Also we have different rules for each stage, DR, RR and SS.

4.3 Organization of the Instructional Planner

The instructional planner of CIRCSIM-TUTOR consists of two parts (see Figure 6); the lesson planner and the discourse planner. The plan controller monitors the execution of the current plan. The planner can be thought of as a small expert system, which consists of two main parts: a knowledge base and an

inference engine [Harmon, 1987]. Thus, the lesson planner consists of three sets of lesson planning rules, and an inference mechanism. The discourse planner consists of four sets of discourse planning rules and an inference mechanism. This section introduces the organization and the main features of the instructional planner briefly.

INSTRUCTIONAL PLANNER



Figure 6. Instructional Planner

Lesson Planning. Lesson planning determines the content and sequence of the subject matter to be taught in a single lesson [Murray, 1988; Brecht et al., 1989; Russell, 1988]. The lesson planning in CIRCSIM-TUTOR consists of two phases: goal generation and plan generation. The generation of the lesson

goals is guided by a set of explicit domain-dependent heuristics (goal generation rules), and the lesson plans are determined by applying two set of rules, rules for selecting strategies and rules for selecting tactics. As a result the lesson planner does hierarchical lesson planning with its three sets of rules; at the topmost level it generates lesson goals, and then it expands one of the goals into a set of subgoals (a plan) at the next level. The generated goals will be saved in the goal stack and the subgoals in the subgoal stack. The lesson planner must update the goals dynamically as the student model changes.

Discourse Planning. Discourse planning is a mechanism for planning communicative actions between the tutor and the student within a lesson [Woolf, 1984; Winkels et al., 1988]. CIRCSIM-TUTOR communicates with the student in natural language. Thus, the discourse planner must interact with the student modeler, the screen manager, the input understander, and the text generator using a flexible control mechanism. This control mechanism resides in its discourse network.

The network consists of two levels; the top level of the network specifies pedagogic decisions and the lower level consists of a set of discourse tactical states, the execution of which causes text generation, student model updates, and moves to the other states. It represents the discourse planning rules and the control mechanism in explicit form. The rules include all the necessary information to carry out the discourse with the student, and the control mechanism is also specified within the rules; two sets of default rules manage the fixed control flow, and two sets of meta rules handle dynamic control flow.

Plan Monitoring. AI research on planning emphasizes that execution of a plan requires some monitoring [Charniak and McDermott, 1986]. In the recent robot planning systems [Wilkins, 1988; Swartout, 1988], the plan monitoring is done by inserting monitoring steps in the plan, which behaves like a student model in instructional planning. In an ITS, since the student's learning status is unpredictable, the planner also needs to monitor the execution of the plan and revise the plan if necessary. As a result, plan monitoring should occur whenever there is a change in the student model. Plan revision may occur when the current plan is completed or when the student takes the initiative.

For the current version of CIRCSIM-TUTOR, the planner monitors the student problem solving in two different places. First, when the student enters predictions in the prediction table, the planner monitors the student's entries in the table and interrupts with some warning messages if the student violates the system constraints. The messages are designed by the experts, to help the students in their problem solving. The system gives different messages depending on the procedure, the variables, and the stages. Second, the planner monitors the student answer at each step during the tutoring session, by referring to the student model, and then decides what to say next; give a hint, give an answer, or continue with the next topic, etc. When the student takes control by asking a question during the tutoring session, the planner suspends the current plan, carries out the student's request and then resumes the suspended plan.

5. THE LESSON PLANNER

The lesson planner decides on the contents of a lesson, based on the student's current knowledge about the domain. The planner has to generate lesson goals, sequence the goals, and select the appropriate planning strategies to create a plan for the current lesson goal. Figure 7 shows the architecture of the lesson planner including the necessary planning steps, student model, and lesson planning rules. The result of the lesson planning is a set of subgoals (a plan), each of which will be the topic for a dialogue with the student.

The lesson planning mechanism is an essential component of the instructional planner, since the system must generate globally coherent and consisten instruction for the student [Macmillan et al., 1988; Murray, 1990], in such a way that the topics are logically connected wit each other, and sequenced and presented in a manner sensitive to the tutorial goals and the student's needs. This section describes the lesson planner: lesson planning rules, an architecture, and its two main mechanisms (i.e., goal generation and plan generation).



Figure 7. Structure of the Lesson Planner

5.1 Lesson Planning Rules

The contents of the tutoring strategies are extracted from the transcripts of the human tutor and student interaction, and we need to encode them explicitly in the program as rules. I designed this part as a *production system*, which consists of a rule interpreter and a set of rules. This is the most common approach used in expert systems [Hasemer and Dominque, 1989]. This subsection, describes the design of the rules and the implementation of the rule interpreter to parse the rules.

The Rule Interpreter. The rule interpreter consists of three main parts: its main loop, its working memory, and its pattern matcher. The working memory is crucial to the operation of the rule interpreter, because the working memory holds an initial representation of the problem that the system is trying to solve. Each time around the loop, the contents of the working memory will be compared to the antecedent of the rules, and then will fire only one rule if it matches. If an antecedent matches with the working memory, the consequent will be executed, and the content of the working memory will be changed for the next inference. The matching cycle will continue until no rules match. At this point the interpreter halts, and the content of the working memory is the desired result for the given problem.

The interpreter is built using LISP macro functions, which understand and interpret the rules for the system. The rule format consists of three parts: the name part of the rule, the antecedent part, and the consequent part. For example, *(Rule_name: (antecedent) => (consequent))*. This approach makes the system efficient in representing the rules explicitly.

How to Encode the Lesson Planning Rules. The lesson planner uses three sets of lesson planning rules (goal generation rules, strategy rules, and tactical rules). The general form in which the rules are written is *if X then Y*. Here X is the antecedent or left-hand side of the rule and Y the consequent part or right-hand side of the rule. Both the antecedent and the consequent may contain one or more terms.

For example, assume that the student made an error in predicting the variable TPR. One of the goal generation rules applies; if the student does not know TPR, then build the lesson goal, *tutor TPR about the neural control*.

This rule can be expressed as *(G_Rule1: ((do-not-know TPR) => (neural-control TPR)))*. If the current lesson goal is *teach the causal relationship between RAP and SV, and the student does not know the direction*, then this rule can be written as *(S_Rule1: ((causal-relation)(do-not-know direction)) => (tutor-causality)))*. This is the strategy rule for dealing with non-neural variables. If the strategy rule is *tutor-causality*, then the corresponding tactical rule is to teach *determinants, actual-determinant, relation, and value*. This rule can be written as *(T_Rule1: ((tutor-causality) => (determinants) (actual-determinant) (relation) (value)))*.

Currently, there are about 50 goal generation rules, 20 strategy rules, and 20 tactical rules that handle DR, RR and SS phases, and for procedures 4, 6 and 7. The rules may need to be extended to handle the other procedures.

5.2 Lesson Planning

Instructional planning centers around instructional goals. The lesson planning generates the lesson goals, the knowledge that the system intends the student to acquire through the tutoring session. This subsection describes how to generate the lesson goals, and how to develop a lesson plan for the each of the goals. The two main mechanisms of the lesson planning process, goal generation and plan generation, are explained below.

Goal Generation. CIRCSIM-TUTOR generates instructional goals based on the student's knowledge demonstrated as entries in the Prediction Table. The generation of the goals is guided by a set of explicit goal generation rules designed by our experts (Joel Michael and Allen Rovick), which ensures that the most serious misconception is selected and tutored first.

Goal Generation Rules

1. IF Current Primary Variable is CC and
   Student Answer is not NOCHANGE for TPR
   Then Build Lesson Goal (NEURAL-CONTROL (TPR))

2. IF Current Primary Variable is RAP and
   Student does not know the CAUSAL-RELATIONSHIP
   between RAP and SV
   Then Build Lesson Goal (CAUSAL-RELATION (RAP, SV))

3. IF Current Primary Variable is RAP and
   Student does not know the CAUSAL-RELATIONSHIP
   between SV and CO
   Then Build Lesson Goal (CAUSAL-RELATION (SV, CO))

Figure 8. Goal Generation Rules

For example, suppose the student made wrong predictions in the table for the variables, TPR and SV. The student modeler has determined, from its analysis, that the student is confused about the mechanism controlling TPR and

the causal relationships between RAP and SV and SV and CO. So the lesson planner retrieves the information from the student model, applies the goal generation rules (see Figure 8), and generates the lesson goals dynamically. The result is a set of lesson goals in the goal stack (see Figure 9).

Order	Lesson Goals
1.	NEURAL-CONTROL (TPR)
2.	CAUSAL-RELATION (RAP,SV)
3.	CAUSAL-RELATION (SV, CO)

Figure 9. Generated Lesson Goals in the Goalstack

The goal generation is significant in many ways; the goals are generated dynamically and adaptively; the goals are sequenced in the order that the expert tutors this material; the goals provide a global context that remains coherent and consistent throughout the tutoring session, unless the goals are revised. New goals can also be generated, which tutor the student about a common misconception (a bug), if the student modeler detects such a misconception. The goals remain in force until they are changed by the planner dynamically.

Strategic Rule

1. If the Goal = CAUSAL-RELATION and
   Student does not know and
   direction is incorrect
   Then Strategy = TUTOR-CAUSALITY

2. If the Goal = CAUSAL-RELATION and
   Student does not know and
   direction is correct
   Then Strategy = REMIND-RELATION

3. If the Goal = NEURAL-CONTROL and
   this is the first procedure
   Then Strategy = DEFINE-TUTOR-NEURAL

Figure 10. The Strategy Rules

Plan Generation. The second stage of the lesson planning is the plan generation mechanism, which creates the instructional plan by applying two sets of rules, rules for selecting tutorial strategies to achieve the selected goal and rules for selecting pedagogic tactics to execute those strategies.

Strategy rules (Figure 10) describe the tutorial approach from a domain-independent point of view. These include tutoring prerequisites before the material they underlie, reminding the student about relations between two parameters, explaining the definition before tutoring about it, and so on. Tactical rules (Figure 11) also represent a domain-independent tutorial approach; they involve asking about concepts and relations between the concepts.

Tactical Rule

1. If Strategy = TUTOR-CAUSALITY
   Then Tactic = DETERMINANTS,
   ACTUAL-DETERMINANT,
   RELATIONSHIP,
   VALUE

2. If Strategy = TUTOR-NEURAL-CONTROL
   Then Tactic = MECHANISM,
   VALUE

3. If Strategy = TUTOR-SS-PHYSICAL-VARIABLE
   Then Tactic = VALUE-DR,
   VALUE-RR,
   VALUE-SS

Figure 11. The Tactical Rules

For instance, if the goal is *teach the causal relationship between the two parameters*, then the fired strategy rule is *tutor the causality*, and this then fires the pedagogic tactical rule: *ask about: determinants, actual determinant, relationship, and correct value*. The result is a hierarchical goal tree (Figure 12).



Figure 12. Generated Plan for "causal_relation(RAP,SV)"

Thus the current goal is ultimately refined into four subgoals by two-step goal transformations. In order to solve the current goal, all the subgoals must be solved. This is the well-known AI problem-reduction technique, which transforms a goal into a set of immediate subproblems by a sequence of transformations [Barr and Feigenbaum, 1982]. The four subgoals generated at the tactical level are the current plan for the goal. These are kept in a subgoal stack (Figure 13), which is used by the discourse planner to pick the next topic.

Order	Subgoals
1.	Determinants
2.	Actual-determinant
3.	Relation
4.	Value

Figure 13. The Subgoal Stack

5.3 An Example

Figure 14 shows an example of the lesson planning process for the *causal-relationship between RAP and SV*. From the top of the Figure, the goal generation step is described with its other information: student model, rules used, goal stack, and current goal. Then the plan generation step is described in two steps, the strategic and the tactical steps. The lesson planner waits for the discourse planner to complete the current lesson plan, and when the plan controller sends a wake-up signal, then the planner gets reactivated and continues with the next goal in the goal stack.

6. THE DISCOURSE PLANNER

The discourse planner is responsible for controlling interactions between the tutor and the student. It needs to decide how the tutor should respond to a student with a given problem [Woolf, 1984; Winkels et al., 1988]. This discourse strategy must be planned explicitly by the discourse planner, so that the system can enter into flexible and coherent interactions. In CIRCSIM-TUTOR, the discourse planner is combined with the lesson planner, so that the discourse planner receives a global lesson plan from the lesson planner. The plan controller monitors the execution of the plan and forces the discourse planner to suspend or resume the current plan when the student takes control. The planner consists of sets of discourse planning rules and a two level discourse network.

6.1 Architecture of the Discourse Planner

Flow Chart Approach. Meta knowledge is knowledge about knowledge [Davis and Buchanan, 1987]; what you know and don't know (operational meta knowledge), and how you do things (control meta knowledge). The operational meta knowledge is needed to recognize a question outside the limits of the system. It can be ignored in the discourse planner, since the input understander receives such a question or answer and responds with *I don't understand, please rephrase*. The control meta knowledge determines how the system interacts with the student; it is based on our observations about how the human expert tutors the student. The integration of this knowledge into the system ensures that it appears to ask questions in a logical order.

Goal Generation

Rules Used:

Student Model: do-not-know (SV) DR_G_Rule8

Goal Stack: Causal-relation (RAP, SV)
Causal-relation (SV, CO)

Current Goal: Causal-relation (RAP, SV)

Plan Generation

Rules Used:

Strategy: Tutor-causality DR_S_Rule1

Tactics: (determinants) DR_T_Rule6
(actual-determinant)
(relation)(value)

Subgoal Stack: (determinants)
(Plan) (actual-determinant)
(relation)(value)

Discourse Planner

executes "determinants of SV"

Plan Monitoring: Waits for the student response

Figure 14. An Example of Lesson Planning

The basic representation of the control meta knowledge in CIRCSIM-TUTOR is the *flow chart*. This is a model of *what* the expert does and *when* he does it. For our system, Allen Rovick designed several flow charts (see Figure 15), each of which is used for tutoring the student in a different situation. We need different tutoring strategies for handling different variables and different phases (DR/RR/SS).



Figure 15. The Flow Chart for Tutoring Non-Neural Variables in DR

Figure 15 is the one that tutors the non-neural variables in DR. The content of the questions is determined by the lesson planner and passed on to the discourse planner, which must then decide how to express this content, determining whether to ask a question,. give an answer, and so on. After the chart was created, I encoded this information as discourse planning rules. The

next step is to create a sophisticated inference mechanism that can utilize these rules.

Discourse Network. The network is the main knowledge structure of the discourse planner. It consists of states, links, and arcs (see Figure 16). The states represent tutorial actions, the arcs imply state transitions, and the links indicate hierarchical dependencies; a state at the tactical level represents the refinements of the level above. Three important mechanisms need to be discussed: levels of planning, representation of the tutorial states, and control structures.



Figure 16. The Discourse Network

A. Levels of Planning. The discourse planner is divided into two planning levels: pedagogical and tactical. The pedagogical level makes decisions about the style of tutoring; introduces a topic, remediates the student's misconceptions, and completes a topic. The discourse action begins with the pedagogical level, *introduce* state, and then it traverses the network and finishes one topic as it reaches the *complete* state. The tactical level chooses an expository style to implement the pedagogy; *question the student, give acknowledgement, or give an answer*. The states at this level are refinements of the states at the pedagogic level.

B. Representation of Discourse Strategies. The second important mechanism is the representation of the tutorial strategies in the form of states. The discourse strategies were then extracted from the flow chart and expressed as discourse rules. The rules are written as a frame-like structure using Lisp macro functions, which represent the states in the network. The states are divided into default states and meta states, and each state is further divided into pedagogic and tactical states. Each state consists of a state name and slots. The slots in the default state contain information about

tutoring strategy, text style, and explicit control. The meta states mainly include explicit control mechanism and preconditions. In Figure 19, the execution of the *Ask_Question* state will cause the text generator to generate a question, and then move on to the next default state, *Eval_Input*. The slots also contain a register to keep track of the completion of the topic, and a flag to update the student model.

C. Control Structure. The discourse control in the network can be divided into a default control structure and a meta control structure. The default control is specified in the default states, so that the tutor moves from one state to another according to a pre-determined path. The meta control abandons the default path and moves to the state that is specified in the meta-rule. The system checks the meta-rules first and if none of the meta-rules fire, then the control flow will follow the default path. This control path is hidden in Figure 16, because the exceptional behavior by the meta-rules can not be predicted in advance. For example, the *Eval_Input* state will be selected right after the *Ask_Question* state as a default path, but the next state is unpredictable, since the student answer could be correct, wrong, or partially correct. This mechanism enables the dynamic behavior of the discourse planner.

Pedagogic Default Rule

```
(Pedagogic_default    *introduce*
    (subgoal           current-task
     update            topic-completed
     next-state       *tutor*))

(Pedagogic_default    *tutor*
    (subgoal           current-task
     update            topic-completed
     next-state       *complete*))
```

Figure 17. The Pedagogic Default Rule

Pedagogic Meta Rule

```
(Pedagogic_meta       *m_tutor*
    (precondition      topic-completed
     prior-state      *tutor*
     next-state       *introduce*))

(Pedagogic_meta       *m_complete*
    (precondition      no-more-topics
     prior-state      (*introduce*  *complete*)
     next-state       *stop*))
```

Figure 18. Some Pedagogical Meta Rules

The main disadvantage of earlier discourse management networks [Woolf, 1984; Clancey, 1982] is that they needed to be coupled with some other control mechanism, such as an agenda and an external memory to provide a topic. In

CIRCSIM-TUTOR, since the lesson planner provides a globally coherent lesson plan, the network itself can function solely for delivery purposes while keeping all the advantages of the discourse management network, such as flexible discourse control and explicit representation of discourse strategies.

Tactical Default Rule

```
(Tactical_default      *ask_question*
    (text-style         question
     content            current-task
     update             nil
     next-state         *eval-input*))

(Tactical_default      *give_answer*
    (text-style         give-answer
     content           (current-task correct-answer)
     update             student-model
     next-state         *complete-topic*))
```

Figure 19. Tactical Default Rules

Tactical Meta Rule

```
(Tactical_meta         *m_correct*
    (precondition       correct-response
     prior-state       *eval-input*
     next-state        *correct-ack*))

(Tactical_meta         *m_incorrect*
    (precondition       incorrect-response
     prior-state       *eval-input*
     next-state        *incorrect-ack*))
```

Figure 20. Tactical Meta Rules

6.2 Discourse Planning

Discourse planning in CIRCSIM-TUTOR is managed by a simple algorithm. It iterates through the states until a topic becomes complete. Either the student responds with a correct answer or the tutor gives the answer. This section describes important features of the discourse planning.

The Discourse Goal. The discourse planner needs a goal to tutor the student. This goal can be found in the subgoal stack, which the lesson planner has produced. In Figure 13, the subgoals are sequenced by number, so that the discourse planner can carry them out in that order. When the planner finishes carrying out one of the subgoals, it will be removed from the stack, and the planner picks the next one. This cycle continues until the stack is empty, or

is suspended by the plan controller in favor of a student initiative [Woo, 1991c].

Generating Natural Language Sentence. The tactical default states have slots containing information for the text generator. When the planner processes the states, the text-style and content slots will be extracted from the current state. For example, assume that the planner is processing the *ask_question* state (Figure 19), while the text-style slot contains *question* and the content slot contains the current-task, such as *determinant (SV)*. Binding these two slot values provides us with a logic form, *(question (determinant (SV)))*, which will be passed to the text generator, which generates the sentence, *What are the determinants of SV?* Then the screen manager will display the sentence in the tutor window.

The logic form may need to be extended to generate richer sentences, since this kind of the logic form only contains information about a particular task or the solution of a problem. The text generator may need to collect more information from many other sources, the domain knowledge base, the student model, the dialog history, and so on.

How to Recognize a Student Initiative. CIRCSIM-TUTOR allows student initiatives during the tutoring session. So the planner must understand whether the student response is a question or an answer by checking the input logic form, which is being passed from the input understander. For example, if the input understander passes a logic form, *(answer (determinant SV)(RAP CO))*, the first item of the list, *answer*, indicates that this is an answer. The second item of the list, *(determinant SV)*, is the current topic, and the third item, *(RAP CO)*, is the student answer. Let's assume that the tutor asks the question, *What are the determinants of SV?* and the student responds with *I don't know about SV*. Then the input understander recognizes this as an implicit question and returns a logic form, *(question (do-not-know) (SV))*. The planner receives the logic form and recognizes that this is a student initiative, so it suspends the current plan and carries out the student request; asks the problem solver to get the definition of SV from the knowledge base, and then asks the screen manager to display it.

6.3 Trace of Discourse Transition

Figure 21 shows a short trace of a sequence of discourse transitions. The short arrows represent the pedagogic level transitions; the long arrows represent the tactical level transitions; and the double arrows represent the meta level transitions. The left side of the figure shows the processing of states, and the right side of the figure shows the discourse actions resulting from visiting the states.

The tutor begins by asking a question, then it moves to the evaluate state by the default control rule. At this time, the student responds with a half correct answer, which is recognized by the *meta tactical rule3*, which forces a move to the *half-correct* state. This state produces an acknowledgement and then another meta rule fires, which recognizes that this is the first try. So the meta rule forces a move to the *give-hint* state, which produces a hint. Since there is no default and a meta rule applies, the control pops up to the upper level and checks whether the topic has been completed. If not, then control goes back to the *introduce* state again, and moves down to the tactical level. This time the *requestion* state is selected, since this is the second try on the same topic.

7. CONCLUSION

7.1 Significant Features

This paper describes the design and development of an instructional planner for a Physiology ITS, CIRCSIM-TUTOR. The planner has several significant features.

Current Topic: Determinants of SV

->,=>: Pedagogic Level

-->, ==>: Tactical Level (-> Default , => Meta)

Discourse States	Discourse Action
-> INTRODUCE	
--> Ask-question	Tutor: What are the determinants of SV?
--> Eval-input	Student: RAP and CO
==> Meta-tactic3 (Incorrect-one)	
--> Half-Correct	Tutor: RAP is correct, but CO is not a determinant of SV.
==> Meta-tactic6 (First-try)	
--> Give-hint	Tutor: Remember. SV is the amount of blood pumped per beat.
-> TUTOR	
=> Meta-pedagogic (Not-completed)	
-> INTRODUCE	
--> Requestion	Tutor: What is the other determinant of SV?

Figure 21. Trace of the Discourse Transition Process

First, the planner combines two different instructional planning approaches: *lesson planning* and *discourse planning*. Lesson planning produces global lesson plans, which will be carried out during the discourse planning stage. Second, the planner plans *dynamically* based on the inferred student model; it *generates* plans, *monitors* the execution of the plans, and *replans* when the student interrupts with a question during the tutoring session. Third, the pedagogical knowledge is extracted from the experts and represented *explicitly* as rules, lesson planning rules and discourse planning rules. The rules are used to generate lesson plans and to control discourse strategies. The system interprets the rules and builds the lesson plans or returns an appropriate discourse action. Fourth, the planner plans at different levels of the *hierarchy*; the higher level is a simplification or abstraction of the plan (lesson goals) and the lower level is a detailed plan (subgoals), sufficient

to solve the problem. Fifth, the planner allows minimal *student initiatives* during the tutoring session. If the student asks a question the planner suspends the current plan, carries out the student request, and then resumes the suspended plan.

Since one of the main goals of CIRCSIM-TUTOR is to provide a natural language interface, the discourse planner is designed not only to provide sophisticated discourse control, but also to create the internal logic forms for the text generator to generate the sentence. A short tutoring scenario is introduced, which came from a transcript of human tutor and student interaction, to explain the internal process of the system.

7.2 Future Research

The current version of the student model is limited to the overlay strategy, so the planner can support tutoring on the overlay errors only, not the bugs. The tutoring strategy for the bug library has not been developed yet, so the system cannot tutor the student about bugs at the moment.

Another important tutoring strategy is giving a more detailed level hint during the tutoring session. Also it needs more anticipation from other modules; the domain knowledge base needs much more detailed knowledge, the input understander and the text generator need to expand their lexicon and logic forms to contain all the variables at the detailed level, the problem solver needs to be able to access the knowledge base and extract a hint, and the planner needs to have a general strategy for deciding the content of the hint for every situation during the tutoring session.

CIRCSIM-TUTOR supports four pre-determined problems as a curriculum, so that it does not really require curriculum planning. Our expert tutors are developing many more procedures for the system, which may require sophisticated curriculum planning in future versions of the system.

8.0 BIBLIOGRAPHY

Anderson, J.R. 1988. The Expert Module. In: Polson, M. C. and Richardson, J.J., Eds., *Foundations of Intelligent Tutoring Systems*, Lawrence Erlbaum Associates Publishers, Hillsdale, New Jersey, 21-53.

Barr, A. and Feigenbaum, E.A. 1982. *The Handbook of Artificial Intelligence*. William Kaufmann, Inc., Los Altos, California, 2:225-294.

Brecht, B., McCalla, G., Greer, J., and Jones, M. 1989. Planning the Content of Instruction. *Proceedings of the 4th International Conference on AI and Education*, Amsterdam, Netherlands, 32-41.

Brown, J.S. and Burton, R.R. 1978. Diagnostic Models for Procedural Bugs in Basic Mathematical Skills. *Cognitive Science*, 2:155-191.

Carr, B. and Goldstein, I.P. 1977. *Overlays: a Theory of Modelling for Computer Aided Instruction*. AI Memo 406, AI Laboratory, Massachusetts Institute of Technology.

Charniak, E. and McDermott, D. 1986. *Introduction to Artificial Intelligence*, Addison-Wesley, Reading, Massachusetts.

Clancey, W.J. 1982. Tutoring Rules for Guiding a Case Methods Dialogue. In: Sleeman, D.H. and Brown, J.S., Eds., *Intelligent Tutoring Systems*, Academic Press, New York, 201-225.

Clancey, W.J. 1987. *Intelligent Tutoring Systems: A Tutorial Survey*. Report No. STAN-CS-87-1174.

Davis, R. and Buchanan, B. G. 1985. Meta-Level Knowledge. In: Buchanan, B. G. and Shortliffe, E. H., Eds., *Rule-Based Expert Systems*. Addison-Wesley, Reading, Massachusetts, 507-530.

deKleer, J. and Brown, J.S. 1984. A Physics Based on Confluences. *Artificial Intelligence*, 24:7-83.

Dede, C.J. 1986. A Review and Synthesis of Recent Research in Intelligent Computer-Assisted Instruction. *International Journal of Man-Machine Studies*, 24:329-353.

Derry, S.J., Hawkes, L.W. and Ziegler,U. 1988. A Plan-Based Opportunistic Architecture for Intelligent Tutoring. *Proceedings of Intelligent Tutoring Systems. ITS-88*, Montreal, Quebec, Canada, 116-123.

Elsom-Cook, M. 1988. Using Multiple Teaching Strategies in an ITS. *Proceedings of Intelligent Tutoring Systems: ITS-88*, Montreal, Quebec, Canada, 286-290.

Fikes, R. and Nilsson, N.J. 1971. STRIPS: A New Approach to the Application of Theorem Proving to Problem Solving. *Artificial Intelligence*, 2:189-208.

Forbus, K.D. 1984. Qualitative Process Theory. *Artificial Intelligence*, 24:85-168.

Harmon, P. 1987. Intelligent Job Aids: How AI will Change Training in the Next Five Years. In: Kearsley, G.P., Ed., *Artificial Intelligence and Instruction*, Addison-Wesley, Reading, Massachusetts, 165-190.

Hasemer, T. and Dominque, J. 1989. *Common Lisp Programming for Artificial Intelligence*, Addison-Wesley, Reading, Massachusetts.

Kearsley, G. 1987. *Artificial Intelligence and Instruction: Application and Methods*, Addison-Wesley, Reading, Massachusetts.

Kim, N., Evens, M., Michael, J.A., and Rovick, A.A. 1989. CIRCSIM-TUTOR: An Intelligent Tutoring System for Circulatory Physiology. In: Mauer, H., Ed., Computer Assisted Learning, *Proceedings of the International Conference on Computer Assisted Learning*, Dallas, Texas, Springer-Verlag, Berlin:254-266.

Kim, N. 1989. *CIRCSIM-TUTOR: An Intelligent Tutoring System for Circulatory Physiology*. PhD. Dissertation, Department of Computer Science, Illinois Institute of Technology, Chicago, Illinois.

Kuipers, B. 1984. Commonsense Reasoning about Causality: Deriving Behavior from Structure. *Artificial Intelligence*, 24:169-203.

Lee, Y., Evens, M., Michael, J.A., and Rovick, A.A. 1990.IFIHS: Ill-Formed Input Handling System. *Proceedings of the Second Midwest Artificial Intelligence and Cognitive Science Conference*. Carbondale, IL, 93-97.

Lee, Y. 1990. *Handling Ill-Formed Natural Language Input for an Intelligent Tutoring System*. Ph.D. Dissertation, Computer Science Department, Illinois Institute of Technology, Chicago, Illinois.

Leinhardt, G. and Greeno, J.G. 1986. The Cognitive Skill of Teaching. *Journal of Educational Psychology*, 78:75-95.

Macmillan, S.A. and Sleeman, D.H. 1987. An Architecture for a Self-Improving Instructional Planner for Intelligent Tutoring Systems. *Computational Intelligence*, 3:17-27.

Macmillan, S.A., Emme, D. and Berkowitz, M. 1988. Instructional Planners:Lessons Learned, In: Psotka, J., Massey, L.D., and Mutter, S.A., Eds., *Intelligent Tutoring Systems: Lessons Learned*, Lawrence Erlbaum Publishers, Hillsdale, New Jersey, 229-256.

Michael, J. A., Rovick, A. A., Evens, M., and Kim, N. 1990. A Smart Tutor Based on a Qualitative Causal Model. *Proceedings of the AAAI Spring Symposium on Knowledge-Based Environments for Learning and Teaching*, Stanford, March 27-29, 112-117.

Michael, J.A., Rovick, A.A., Evens, M., Shim, L., Woo, C., and Kim, N. 1991. The Uses of Multiple Student Inputs in Modeling and Lesson Planning in CAI and ICAI Programs. *Submitted to the International Conference on Computer Assisted Learning*, Nova Scotia, CANADA.

Murray, W.R. 1988. *Control for Intelligent Tutoring Systems: A Comparison of Blackboard Architecture and Discourse Management Networks*. Research Report R-6267, FMC Corporation, Santa Clara, California.

Murray, W.R. 1990. *A Blackboard-based Dynamic Instructional Planner*. Research Report No. R-6376, FMC Corporation, Santa Clara, California.

Ohlsson, S. 1986. Some Principles of Intelligent tutoring. In: Lawler, R. and Yazdani, M., Eds., *Artificial Intelligence and Education: Learning Environment and Tutoring Systems*, Ablex Publishing, Norwood, New Jersey, 204-237.

Peachey, D.R. and McCalla, G.I. 1986. Using Planning Techniques in Intelligent Tutoring Systems. *International Journal of Man-Machine Studies*, 24:77-88.

Rovick, A. A. and Brenner, L. 1983. HEARTSIM: A Cardiovascular Simulation with Didactic Feedback. *The Physiologist*, 26:236-239.

Rovick, A.A. and Michael, J.A. 1986. CIRCSIM: An IBM PC Computer Teaching Exercise on Blood Pressure Regulation. *XXX IUPS Congress*, Vancouver, Canada.

Russell, D.M. 1988. IDE: The Interpreter. In: Psotka, J., Massey, L.D., and Mutter, S.A., Eds., *Intelligent Tutoring Systems: Lessons Learned*, Lawrence Erlbaum Publishers, Hillsdale, New Jersey, 323-349.

Sacerdoti, E.D., 1977. *A Structure for Plans and Behavior*. Elsevier-North Holland, Amsterdam, the Netherlands.

Shim, L., Evens, M., Rovick, A.A., and Michael, J.A. 1991. Effective Cognitive Modeling in an Intelligent Tutoring System for Cardiovascular Physiology. *Proceedings of Fourth IEEE Symposium on Computer-Based Medical Systems*. Baltimore, Maryland, 338-345.

Sleeman, D.H. and Brown, J.S. 1982. *Intelligent Tutoring Systems*. Academic Press, New York.

Sussman, G.A. 1975. *A Computational Model of Skill Acquisition*, Elsevier-North Holland, New York.

Swartout, W. 1988. DARPA Santa Cruz Workshop on Planning. *AI Magazine*, Summer, 115-131.

VanLehn, K. 1988. Student Modelling. In: Polson, M. C. and Richardson, J.J., Eds., *Foundations of Intelligent Tutoring Systems*, Lawrence Erlbaum Associates Publishers, Hillsdale, New Jersey: 55-78.

Wielinga, B.J. and Breuker, J.A. 1990. Models of Expertise. *International Journal of Intelligent Systems*, 5(5):497-509.

Winkels, R., Breuker, J. and Sandberg, J. 1988. Didactic Discourse in Intelligent Help Systems. *Proceedings of Intelligent Tutoring Systems: ITS-88*, Montreal, Quebec, Canada, 279-285.

Wilkins, D. E. 1988. *Practical Planning*. Morgan Kaufmann, Los Altos, California.

Woo, C., Evens, M., Michael, J.A. and Rovick, A.A. 1991a. Dynamic Instructional Planning for an Intelligent Physiology Tutoring System. *Proceedings of Fourth IEEE Symposium on Computer-Based Medical Systems*, Baltimore, MD:226-233.

Woo, C., Evens, M., Michael, J.A., and Rovick, A.A. 1991b. Instructional Planning for an Intelligent Medical Tutoring System. *Proceedings of the Third Midwest Artificial Intelligence and Cognitive Science Conference*. Carbondale, IL, 31-35.

Woo, C., Evens, M., Michael, J.A. and Rovick, A.A. 1991c. Planning in an Intelligent Tutoring System. *Poster Session, International Conference on the Learning Sciences*, Evanston, Illinois, U.S.A.

Woolf, B. 1984. *Context Dependent Planning in a Machine Tutor*. Ph.D.Dissertation, University of Massachusetts, Amherst, Massachusetts.

Zhang, Y. and Evens, M., 1990. Extending a Knowledge Base to Support Explanations. *Proceedings of Third Annual IEEE Symposium on Computer-Based Medical Systems*, 259-266.

EVENS.TCL 4 MAR 91
FROM ALL_AREA, INST_TITY, NAT_LANG

Dr. Phillip L. Ackerman
University of Minnesota
Department of Psychology
75 East River Road
N218 Elliott Hall
Minneapolis, MN 55455

Dr. Beth Adelson
Department of Psychology
Rutgers University
Camden, NJ 08102

Dr. David L. Alderton, Code 131
Navy Personnel R&D Center
San Diego, CA 92152-6800

Dr. Terry Allard
Code 1142CS
Office of Naval Research
800 N. Quincy St.
Arlington, VA 22217-5000

Dr. Thomas H. Anderson
Center for the Study of Reading
174 Children's Research Center
51 Gerty Drive
Champaign, IL 61820

Dr. Stephen J. Andriole, Chairman
College of Information Studies
Drexel University
Philadelphia, PA 19104

Dr. Gregory Anrig
Educational Testing Service
Princeton, NJ 08541

Dr. Mishael S. Arwood
NYNEX
AI Laboratory
500 Westchester Avenue
White Plains, NY 10604

Dr. Patricia Baggett
School of Education
610 E. University, Rm 1302D
University of Michigan
Ann Arbor, MI 48109-1259

Dr. Meryl S. Baker
Navy Personnel R&D Center
San Diego, CA 92152-6800

prof. dott. Bruno G. Bara
Unita di ricerca di
intelligenza artificiale
Universita di Milano
20122 Milano - via F. Sforza 23
ITALY

Dr. Henriah Baumfeld
IDM der Universitat
Postfach 8640
D-4800 Bielefeld 1, WEST GERMANY
FEDERAL REPUBLIC OF GERMANY

Dr. William G. Berry
Director of Life and
Environmental Sciences
AFOSR/NL, N1, Bldg. 410
Bolling AFB, DC 20332-6448

Dr. Thomas G. Bever
Department of Psychology
University of Rochester
River Station
Rochester, NY 14627

Dr. Gautam Biswas
Department of Computer Science
Box 1688, Station B
Vanderbilt University
Nashville, TN 37251

Dr. John Black
Teachers College, Box 8

Distribution List

Columbia University
525 West 120th Street
New York, NY 10027

Dr. Sheila Blumstein
Dean of the College
Brown University
University Hall, Room 218
Providence, RI 02912

Dr. J. C. Boudreaux
Manufacturing Engineering Lab
National Institute of
Standards and Technology
Gaithersburg, MD 20899

Dr. Robert Breaux
Code 252
Naval Training Systems Center
Orlando, FL 32826-3224

Dr. Ann Brown
Graduate School of Education
University of California
EMST-4533 Tolman Hall
Berkeley, CA 94720

Dr. John T. Bruer
James S. McDonnell Foundation
Suite 1610
1034 South Brentwood Blvd.
St. Louis, MO 63117

Dr. Frances Butler
Center for the Study of
Evaluation
145 Moore Hall
University of California
Los Angeles, CA 90024

Dr. Jeanne Capper
3548 Albemarle Street, NW
Washington, DC 20008

Dr. Pat Carpenter
Carnegie-Mellon University
Department of Psychology
Pittsburgh, PA 15213

Dr. Eduardo Cascallar
Educational Testing Service
Rosedale Road
Princeton, NJ 08541

Dr. Ruth W. Chabay
CDEC, Hamburg Hall
Carnegie Mellon University
Pittsburgh, PA 15213

Dr. Paul G. Chapin
Linguistics Program, Room 320
National Science Foundation
Washington, DC 20550

Dr. Fred R. Chavalier
Pennsylvania
1911 North Ft. Myer Dr.
Suite 800
Arlington, VA 22209

Dr. Susan Chipman
Cognitive Science Program
Office of Naval Research
800 North Quincy St.
Arlington, VA 22217-5000

Dr. Raymond E. Christal
UES LAMP Science Advisor
AL/HRMIL
Brooks AFB, TX 78235

Dr. Charles Clifton
Tobin Hall
Department of Psychology
University of
Massachusetts

Amherst, MA 01003

Chief of Naval Education and
Training (N-5)
NAS Pensacola, FL 32508

Dr. Paul Cobb
Purdue University
Education Building
W. Lafayette, IN 47907

Office of Naval Research
Code 1142
800 N. Quincy Street
Arlington, VA 22217-5000

Director
Training Systems Department
Code 13A
Navy Personnel R&D Center
San Diego, CA 92152-6800

Library, Code 231
Navy Personnel R&D Center
San Diego, CA 92152-6800

Naval Training Systems Center
Attn: Dr. Robert Hays, Code 262
12350 Research Parkway
Orlando, FL 32826-3224

R&D Coordinator, Attn: Jan Hart
Office of the DCNO, MPT, Op-11K1
Department of the Navy, AA-0417
Washington, DC 20370-2000

Commanding Officer
Naval Research Laboratory
Code 4827
Washington, DC 20375-5000

Dr. John M. Carpenter
Department of Psychology
I/O Psychology Program
Tulane University
New Orleans, LA 70118

Dr. Michael Cavers
Code 142
Navy Personnel R&D Center
San Diego, CA 92152-6800

Dr. Kenneth B. Cross
Anacapa Sciences, Inc.
P.O. Box 519
Santa Barbara, CA 93102

CTB/McGraw-Hill Library
2500 Garden Road
Monterey, CA 93940-5380

Dr. Peter Cullicover
Director, Center for Cognitive
Science
208 Ohio Stadium East
1961 Tuttle Park Place
Columbus, OH 43210-1102

Dr. Charles E. Davis
Educational Testing Service
Mail Stop 22-T
Princeton, NJ 08541

Margaret Day, Librarian
Applied Science Associates
P.O. Box 1072
Butler, PA 16003

Dr. Steven Denny
Florida State University
Department of Psychology
Tallahassee, FL 32306

Dr. J. Stuart Deno
Faculty of Education
University of British Columbia
2125 Main Mall
Vancouver, BC CANADA V6T 1Z4

Defense Technical
Information Center

BEST COPY AVAILABLE

DTIC/DDA 2
Cameron Station, Bldg 5
Alexandria, VA 22314
(4 Copies)

Dr. Pierre Dugast
Organization for Economic
Cooperation and Development
2, rue Andre-Pascal
75016 PARIS
FRANCE

Dr. Richard Duran
Graduate School of Education
University of California
Santa Barbara, CA 93106

Dr. John Ellis
Navy Personnel R&D Center
Code 13
San Diego, CA 92152-6800

Dr. Jeffrey Elman
University of California,
San Diego
Department of Linguistics, C-008
La Jolla, CA 92093

ERIC Facility-Acquisitions
1301 Piccard Drive, Suite 300
Rockville, MD 20850-4305

Dr. Martha Evens
Dept. of Computer Science
Illinois Institute of Technology
10 West 31st Street
Chicago, IL 60616

Dr. Lawrence D. Eyde
US Office of Personnel Management
Office of Personnel Research and
Development Center,
1900 E St., NW
Washington, DC 20415

Dr. Jean-Claude Falmagne
Irvine Research Unit in
Mathematical & Behavioral Sciences
University of California
Irvine, CA 92717

Dr. Beatrice J. Farr
Army Research Institute
PERI-IC
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr. Marshall J. Farr
Farr-Sight Co.
2520 North Vernon Street
Arlington, VA 22207

Dr. P-A. Federico
Code 51
NPRDC
San Diego, CA 92152-6800

Dr. Christiane Fellbaum
Cognitive Science Laboratory
Princeton University
221 Nassau Street
Princeton, NJ 08544

Dr. Richard L. Ferguson
American College Testing
P.O. Box 168
Iowa City, IA 52243

Dr. Victor Fields
Department of Psychology
Montgomery College
Rockville, MD 20850

Dr. Michael Flanagan
Code 16
NPRDC
San Diego, CA 92152-6800

Dr. J. D. Fletcher
Institute for Defense Analyses
1801 N. Beauregard St.
Alexandria, VA 22311

Dr. Linda Flower
Carnegie-Mellon University
Department of English
Pittsburgh, PA 15213

Dr. Carl H. Frederiksen
Dept. of Educational Psychology
McGill University
3700 McTavish Street
Montreal, Quebec
CANADA H3A 1Y2

Dr. Norman Frederiksen
Educational Testing Service
(05-R)
Princeton, NJ 08541

Dr. Alfred R. Fregly
AFOSR/NL, Bldg. 410
Bolling AFB, DC 20332-6448

Dr. Alinda Friedman
Department of Psychology
University of Alberta
Edmonton, Alberta
CANADA T6G 2E9

Dr. Morrill F. Garrett
Director of Cognitive Science
Department of Psychology, Room 312
University of Arizona
Tucson, AZ 85721

Chair, Department of
Computer Science
George Mason University
Fairfax, VA 22030

Dr. Helen Gigley
Naval Research Lab., Code 5530
4555 Overlook Avenue, S. W.
Washington, DC 20375-5000

Dr. Philip Gillis
AJU-Fort Gordon
ATTN: PERI-ICD
Fort Gordon, GA 30905

Dr. Herbert Ginsburg
Box 186
Teachers College
Columbia University
525 West 120st Street
New York, NY 10027

Dr. Dave Ginsburg
Educational Testing Service
Princeton, NJ 08541

Mr. Lee Gladwin
305 Davis Avenue
Leesburg, VA 22075

Dr. Robert Glaser
Learning Research
& Development Center
University of Pittsburgh
3939 O'Hara Street
Pittsburgh, PA 15260

Dr. Marvin D. Glock
101 Hasbrouck Terrace
Ithaca, NY 14850

Dr. Sam Glucksberg
Department of Psychology
Princeton University
Princeton, NJ 08544-1010

Prof. Joseph Goguen
PRG, Univ. of Oxford
11 Keble Road
Oxford OX13QD
UNITED KINGDOM

Dr. Susan R. Goldman
Peabody College, Box 45
Vanderbilt University
Nashville, TN 37203

Mr. Harold Goldstein
University of DC
Department Civil Engineering
Bldg. 42, Room 82
4200 Connecticut Avenue, N.W.
Washington, DC 20008

Dr. Sherrie Gott
AFHRL/MOMJ
Brooks AFB, TX 78235-5601

Dr. T. Govindaraj
Georgia Institute of
Technology
School of Industrial
and Systems Engineering
Atlanta, GA 30332-0205

Dr. Marilyn K. Gowing
Office of Personnel R&D
1900 E St., NW, Room 6462
Office of Personnel Management
Washington, DC 20415

Dr. Arthur C. Graesser
Department of Psychology
Memphis State University
Memphis, TN 38152

Dr. Wayne Gray
Graduate School of Education
Fordham University
113 West 60th Street
New York, NY 10023

Dr. James G. Greeno
School of Education
Stanford University
Room 311
Stanford, CA 94305

Dr. Stephen Grossberg
Center for Adaptive Systems
Room 244
111 Cummington Street
Boston University
Boston, MA 02215

Dr. Michael Habon
DORNIER GMBH
P.O. Box 1420
D-7990 Friedrichshafen 1
WEST GERMANY

Dr. Henry M. Halff
Halff Resources, Inc.
4918 33rd Road, North
Arlington, VA 22207

Marilyn Halpern, Librarian
Brigham Library
Educational Testing Service
Carter and Rosedale Roads
Princeton, NJ 08541

Mr. H. Hamburger
Department of Computer Science
George Mason University
Fairfax, VA 22030

Dr. Stephen J. Hanson
Learning & Knowledge
Acquisition Research
Siemens Research Center
755 College Road East
Princeton, NJ 08540

Steven Harnad
Editor, The Behavioral and

Brain Sciences
20 Nassau Street, Suite 240
Princeton, NJ 08542

Janice Hart
Department of the Navy
Joint CALS Management Office
5109 Leesburg Pike
Skyline 6, Room 701
Falls Church, VA 22041

Dr. Per Helmersen
University of Oslo
USIT
Box 1059
0316 Oslo, NORWAY

Dr. Ernst Henning
Mail Stop 10-P
Division of Cognitive and
Instructional Sciences
Educational Testing Service
Princeton, NJ 08541

Dr. James Hiebert
Department of Educational
Development
University of Delaware
Newark, DE 19716

Dr. Melissa Holland
Army Research Institute for the
Behavioral and Social Sciences
5001 Eisenhower Avenue
Alexandria, VA 22333

Ms. Julie S. Hough
Cambridge University Press
40 West 20th Street
New York, NY 10011

Dr. William Howell
Chief Scientist
AFHRL/CA
Brooks AFB, TX 78235-5601

Dr. Steven Hunka
3-104 Educ. N.
University of Alberta
Edmonton, Alberta
CANADA T6G 2G5

Dr. Giorgio Ingargiola
Computer Science Department
Temple University
Philadelphia, PA 19122

Dr. Martin J. Ippel
Center for the Study of
Education and Instruction
Leiden University
P. O. Box 9555
2300 RB Leiden
THE NETHERLANDS

Dr. Janet Jackson
Rijksuniversiteit Groningen
Grote Kruisstraat 2/1,
9712TS Groningen
The NETHERLANDS

Dr. Claude Janvier
CIRADE, X-7130
UQAM
P. O. Box 8888, Succ. A
Montreal, Quebec H3C 3P8
CANADA

Dr. Marcel Just
Carnegie-Mellon University
Department of Psychology
Schenley Park
Pittsburgh, PA 15213

Dr. Ruth Kanfer
University of Minnesota
Department of Psychology

Elliot Hall
75 E. River Road
Minneapolis, MN 55455

Dr. Michael Kaplan
Office of Basic Research
U.S. Army Research Institute
5001 Eisenhower Avenue
Alexandria, VA 22333-5600

Dr. Demetrios Karis
OTE Labs, MS 37
40 Sylvan Road
Waltham, MA 02254

Dr. A. Kawabuchi-Smith
MRC-CDU
17 Gordon Street
London
ENGLAND WC1H 0AH

Dr. Wendy Kellogg
IBM T. J. Watson
Research Ctr.
P.O. Box 704
Yorktown Heights, NY 10598

Dr. David Kieras
Technical Communication Program
TIDAL Bldg., 2360 Bonisteel Blvd.
University of Michigan
Ann Arbor, MI 48109-2108

Dr. Walter Kintsch
Department of Psychology
University of Colorado
Boulder, CO 80309-0345

Dr. Janet L. Kolodner
Georgia Institute of Technology
College of Computing
Atlanta, GA 30332-0280

Dr. Patrick Kyllonen
AFHRL/MOEL
Brooks AFB, TX 78235

Dr. Jack L. Lancaster
Health Science Center
University of Texas
7703 Floyd Curl Drive
San Antonio, TX 78284-7801

Dr. M. Diane Langston
ICL North America
11400 Commerce Park Drive
Reston, VA 22091

Dr. Marcy Lansman
University of North Carolina
Dept. of Computer Science
CB #3175
Chapel Hill, NC 27599

Richard Lanterman
Commandant (G-PWP)
US Coast Guard
2100 Second St., SW
Washington, DC 20593-0001

Dr. Jill Larkin
Carnegie-Mellon University
Department of Psychology
Pittsburgh, PA 15213

COMMANDER USARI
PERI-BR (ATTN: Lentze)
5001 Eisenhower Avenue
Alexandria, VA 22333-5600

Dr. Yah-Jung Lee
Department of Computer Science
Code CS/LE
Naval Postgraduate School
Monterey, CA 93943

Dr. Jill F. Lehman
School of Computer Science

Carnegie Mellon University
Pittsburgh, PA 15213-3890

Dr. Richard Lesh
Educational Testing Service
Princeton, NJ 08541

Dr. Michael Levine
Educational Psychology
210 Education Bldg.
1310 South Sixth Street
University of IL at
Urbana-Champaign
Champaign, IL 61820-6990

Dr. Charlotte Linde
Institute for Research
on Learning
2550 Hanover Street
Palo Alto, CA 94304

Dr. Marcia C. Linn
Graduate School
of Education, EMST
Tolman Hall
University of California
Berkeley, CA 94720

Dr. Margaret S. Livingstone
Department of Neurobiology
Harvard Medical School
220 Longwood Avenue
Boston, MA 02115

Dr. Robert Lloyd
Dept. of Geography
University of South Carolina
Columbia, SC 29208

Logicon Inc. (Attn: Library)
Tactical and Training Systems
Division
P.O. Box 85158
San Diego, CA 92138-5158

Vera M. Maier
NPRDC, Code 142
San Diego, CA 92152-6800

Dr. William L. Maloy
Code 04
NETPMSA
Pensacola, FL 32509-5000

Dr. Mary Marlino
Directorate
Instructional Technology
HQ USAFA/DFET
USAF Academy, CO 80840-5017

Dr. Elaine Marsh
Naval Research Laboratory
Code 5512
Washington, DC 20375-5000

Dr. Sandra P. Marshall
Dept. of Psychology
San Diego State University
San Diego, CA 92182

Dr. Clarence J. Martin
Head, DoD Coordinator,
Recruiting Plans and Programs
Branch Code: PERS 277/234
Navy Annex, Room 2832
Washington, DC 20350

Dr. Nadine Martin
Department of Neurology
Center for Cognitive Neuroscience
Temple University School of Medicine
3401 North Broad Street
Philadelphia, PA 19140

Dr. Maureen M. Matthews
Department of Computer Science
University of South Carolina
Columbia, SC 29208

Dr. John Mayer

BEST COPY AVAILABLE

Technical Communications Program
2260 Bonisteel Blvd.
University of Michigan
Ann Arbor, MI 48109

Dr. Richard E. Mayer
Department of Psychology
University of California
Santa Barbara, CA 93106

Dr. Kathleen McKeown
Columbia University
Department of Computer Science
450 Computer Science Building
New York, NY 10027

Dr. Joseph McLachlan
Navy Personnel Research and Development Center
Code 14
San Diego, CA 92152-6800

Dr. Michael McNeese
DET-1, ALICFHI
BLDG 248
Wright-Patterson AFB, OH 45432

Dr. Joel A. Michael
Department of Physiology
Rush Presbyterian-St LukeMedical Center
Rush Medical College
Chicago, IL 60612

Dr. Johanna D. Moore
LRDC
University/Of Pittsburgh
3939 O'Hara Street
Pittsburgh, PA 15260

Dr. Allen Munro
Behavioral Technology Laboratories - USC
250 N. Harbor Dr., Suite 309
Redondo Beach, CA 90277

Distribution Support Division
Bureau of Naval Personnel
PERS-471D
Washington, DC 20370

Academic Progs. & Research Branch
Naval Technical Training Command
Code N-62
NAS Memphis (75)
Millington, TN 38054

Deputy Director Manpower, Personnel and Training Div.
Naval Sea Systems Command
ATTN: Code 04MP 511
Washington, DC 20362

Mr. J. Nelissen
Twente University
Fac. Bibl. Toegepaste Onderwijskunde
P. O. Box 217
7500 AE Enschede
The NETHERLANDS

Director, Instr. Devel. and Educ. Prog. Sys. Dept.
Naval Educ. & Tng. Prog. Mgt. Spt. Activity (NETPMSA)
Pensacola, FL 32509

Director
Training Systems Department
NPRDC (Code 14)
San Diego, CA 92152-6800

Director
Training Technology Department
NPRDC (Code 15)
San Diego, CA 92152-6800

Library, NPRDC
Code 041
San Diego, CA 92152-6800

Librarian
Naval Center for Applied Research in Artificial Intelligence
Naval Research Laboratory
Code 5510
Washington, DC 20375-5000

Office of Naval Research,
Code 1142CS
800 N. Quincy Street
Arlington, VA 22217-5000
(6 Copies)

Special Assistant for Research Management
Chief of Naval Personnel (PERS-OUT)
Department of the Navy
Washington, DC 20350-2000

Dr. Judith Orasanu
Mail Stop 239-1
NASA Ames Research Center
Moffett Field, CA 94035

Mr. John Orlol
Navy Training Systems Center (Code 212)
12350 Research Parkway
Orlando, FL 32826-3224

Dr. Jesse Orlansky
Institute for Defense Analyses
1801 N. Beauregard St.
Alexandria, VA 22311

Dr. Okabasa Park
Army Research Institute
PERI-2
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr. Ray Pea
Institute for the Learning Sciences
Northwestern University
1890 Maple Avenue
Evanston, IL 60201

Dr. Ray S. Perez
ARI (PERI-II)
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr. Nancy N. Perry
Naval Education and Training Program Support Activity
Code-047
Building 2435
Pensacola, FL 32509-5000

CDR Frank C. Petho
Naval Postgraduate School
Code OR/PE
Monterey, CA 93943

Dept. of Administrative Science Code 54
Naval Postgraduate School
Monterey, CA 93943-5026

Dr. Steven Pinker
Department of Brain and Cognitive Sciences
E10-018
MIT
Cambridge, MA 02139

Dr. Peter Pirolli
School of Education
University of California
Berkeley, CA 94720

Dr. Martha Polson

Department of Psychology
University of Colorado
Boulder, CO 80309-0344

Dr. Joseph Psotka
ATTN: PERI-IC
Army Research Institute
5001 Eisenhower Ave.
Alexandria, VA 22333-5600

Dr. Stephen Reder
NWREL
101 SW Main, Suite 500
Portland, OR 97204

Dr. J. Wesley Regian
AFHRL/IDI
Brooks AFB, TX 78235

Dr. Brian Reiser
Cognitive Science Lab
221 Nassau Street
Princeton University
Princeton, NJ 08542

ILS
1890 Maple Avenue
Evanston, IL 60201

Dr. Lauren Resnick
Learning R & D Center
University of Pittsburgh
3939 O'Hara Street
Pittsburgh, PA 15213

Dr. Gilbert Ricard
Mail Stop K01-14
Grumman Aerospace Systems
Bethpage, NY 11714

Mr. W. A. Rizzo
Head, Human Factors Division
Naval Training Systems Center
Code 26
12350 Research Parkway
Orlando, FL 32826-3224

Dr. Linda G. Roberts
Science, Education, and Transportation Program
Office of Technology Assessment
Congress of the United States
Washington, DC 20510

Dr. William B. Rouse
Search Technology, Inc.
4725 Peachtree Corners Circle
Suite 200
Norcross, GA 30092

Dr. Eduardo Salas
Human Factors Division (Code 262)
12350 Research Parkway
Naval Training Systems Center
Orlando, FL 32826-3224

Dr. Roger Schank
The Institute for the Learning Sciences
Northwestern University
1890 Maple Avenue
Evanston, IL 60201

Dr. Mark Schlager
SRI International
333 Ravenswood Ave.
Room BS-131
Menlo Park, CA 94025

Dr. Walter Schneider
Learning R&D Center
University of Pittsburgh
3939 O'Hara Street
Pittsburgh, PA 15260

Dr. Mary Schratz
4100 Parkside
Carlsbad, CA 92008

Nuria Sebastian
Dep. Psicologia Basica
Univ. Barcelona

BEST COPY AVAILABLE

Adolf Pluvose s.a.
08028 Barcelona
SPAIN

Dr. Judith W. Segal
OERI
555 New Jersey Ave., NW
Washington, DC 20208-5648

Dr. Robert J. Seidel
US Army Research Institute
5001 Eisenhower Ave.
Alexandria, VA 22333

Ms. Richard J. Shavelson
Graduate School of Education
University of California
Santa Barbara, CA 93106

Dr. Ben Shneiderman
Dept. of Computer Science
University of Maryland
College Park, MD 20742

Dr. Randall Shumaker
Naval Research Laboratory
Code 5530
4555 Overlook Avenue, S.W.
Washington, DC 20375-5000

Dr. Edward Silver
LRDC
University of Pittsburgh
3939 O'Hara Street
Pittsburgh, PA 15260

Dr. Hermann Sinclair
University of Geneva
FPSE, Uni II
3 Place de l'Universite
1211 Geneve 4, SWITZERLAND

Dr. Juhani Sintvo
General Headquarters
Training Section
Military Psychology Office
PL 919
SF-00100 Helsinki 10, FINLAND

Dr. Richard E. Snow
School of Education
Stanford University
Stanford, CA 94305

Dr. Kurt Steinb
AL/HRTI
Brooks AFB
San Antonio, TX 78235-5601

Dr. Patrick Suppes
Stanford University
Institute for Mathematical
Studies in the Social Sciences
Stanford, CA 94305-4115

Dr. Douglas Towne
Behavioral Technology Labs
University of Southern California
1120 Spring Street
St. Helena, CA 94574

Dean, College of Behavioral
and Social Sciences
University of Maryland,
Baltimore County
Baltimore, MD 21228

Dr. Jerry Vogt
Department of Psychology
St. Norbert College
De Pere, WI 54115-2099

Dr. Thomas A. Ward
FAA Academy
P.O. Box 25082
Oklahoma City, OK 73125

Dr. Douglas Wetzel
Code 15
Navy Personnel R&D Center
San Diego, CA 92152-6800

Dr. Barbara White
School of Education
Tolman Hall, EMST
University of California
Berkeley, CA 94720

Alexander K. Wigdor
NRC MH-176
2101 Constitution Ave.
Washington, DC 20418

Dr. David Wiley
School of Education
and Social Policy
Northwestern University
Evanston, IL 60208

Dr. David C. Wilkins
University of Illinois
Department of Computer Science
405 North Mathews Avenue
Urbana, IL 61801

Dr. Yorick Wilks
Computing Research Laboratory
New Mexico State University
Las Cruces, NM 88003

Dr. Bruce Williams
Department of Educational
Psychology
University of Illinois
Urbana, IL 61801

Dr. Kent E. Williams
Department of Industrial and
Systems Engineering/HSL
1900 Kraft Drive
Blacksburg, VA 24060

Dr. Martin C. Wittrock
Graduate School of Education
Univ. of Calif., Los Angeles
Los Angeles, CA 90024

Dr. Masood Yazdani
Dept. of Computer Science
University of Exeter
Prince of Wales Road
Exeter EX44PT
ENGLAND

Frank R. Yekovich
Dept. of Education
Catholic University
Washington, DC 20064

Dr. Joseph L. Young
National Science Foundation
Room 320
1800 G Street, N.W.
Washington, DC 20550

Dr. Harriet Zuckerman
Vice President
Andrew W. Mellon Foundation
140 E. 62nd St.
New York, NY 10021